#### REMOTE VIEWING SESSION DATA

	******	**	****	****	****	****	****	****	*****	*****
* *	Remote Viewer	:	<u> </u>							* *
*	Interviewer	:	ED							*
*	Observer(s)	:								*
*	•									*
* * *	Date	:	30/10	<u> </u>						*
* *	Starting time	:		hour	s, lo	cal				*
*	Site #	:	6724							*
* * *	Site Acquisit.	: (	CRY	ERV	PRV	ARV	BRV	Other		* *
*	Working Mode	: (	GT	HEM				Other		*
*	Feedback class	<b>:</b>	A	B	С					*
***	* <b>* * * * * * * * * * * * *</b> * * * * *	***	*****	****	****	****	****	****	****	*****
	******	* * *	****	****	****	****	****	****	****	*****
* *	Ending time	:	group gallery and group any and group any	hour	s, lo	cal				* *
*	Notes	:	MITIA	L 53	SE\$\$10	N				*
* * *	Highest stage	:	<u>53</u> (	(57)						*
*	Evaluation	:		<del></del>						*
***	******	**	****	****	****	****	****	****	****	*****
***	******	**	****	****	****	****	****	****	****	*****
*	Actual site	:	E	IACL T	iwer					*
* *	RV summary	•								*
*	nv banmary	:								*
*		•								^

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

SG1J Approved For Release 2000/08/08 : CIA-RDP96-00789R001601060 Ff Mende PI - flu. MoniterEd AV-30 Oct 87 845 miss BK 2240 6941 MISSBE 7240 6941 7240 A. sloping up grud. chg. across. 7240 A. sloping up curving slopingdur 6942

6

A. sloping up. Sign stup soft

7240 694/ Conf Ble motion miss Ble How Bk

air put.

7240 6941

Min B/c

Approved For Release 2000/08/08: CIA-RDP96-00789R001601060001-7 7240 6941 A. sloping up conving A. Slopin, up steep 7240 mas BK 7240 6941 A. Sloring up hand o soft 7240

7240 69 W

A. across

7240

- A. across
soft

4

7240 694 V

Mis Bk

7240

6941

7240

6941

7240

6941-

7240

6941

A. renoss

roft B-

A. stup slyping up

A. styring up

Conf Bk.

cofBK

A. sloping p soft.

B \_\_\_

7240 A. AGOSS 6941 soft 7240 A. AGOSS 6946 hardoroft. B and Ble 7240 6941 A. across roft of flindy 7240 A. acrois 69 W roft B. lm 7246 6941 A. anoss soft

A. rtyr 7240 6941 mm vs Att. 1240 missk 6941 A. step diepel 7240 6941 B thing 7240 6941 AUL BK right.

missk 69M A. stey slowing 6941 52 A. slyring Up steep mmrele 69M ANBL.

7240	
6941	· Aacross
	nonnade
	3—
7240	A. steep shing
6941	P
	hard & reft
	B —
	5Z. high
7240	A, stepslying
6941	had
	B —
	52

A. Steep on.

52

min Bk

7240 6941

missh

7240 6941

A. retes digues 7240 694/ hadowing Brech. AIBK sife is gives re aberdale A. step loping up 7240 hadrany BMa-nuly high

A, sloging up 7240 6941 AOLBK airplice. A, sloping up alters And & soff white

7240
6941

A. 24ping y

And

6941

52

forefre

gen

7240

min Bk

A. 24ping y

how


B
52


forefre


gen

7240

minBk







7240 6941

7240

7240 6941 um Bk

A, step skyrin,

Bnonde

SZ netal grildish/ghting lockd-mahire/rechaid/bla shigh.

Approved For Release 2000/08/08: CIA-RDP96-00789R001601060001-7

7240 69 W) nen Bk

7240 6941 A. stepy slying of

57 netalic

1240 69 VI

ningk

Life

is southlingsivery structure high nowal Ino motion ontoppent in 2 directors day disposel, Very land noisy mechanical noises.

Approved For Release 2000/08/08 : CIARD 96-00789 R001601060001-7

lots of angles

Site - is metallic structu with lots of anyla high narrow elevets.

Approved For Release 2000/08/08: CIA-RDP96-00789R001601060001-7



AUBK Bidge

From 1000ms

Surething should be visible

misk

From 1000ms

Swething shall

bevin

A. dingred up

B. structure

52 rentian vibration

From 400 m N of structure Smething should be Visible

missBk

For You n Not stood of Swething school of the N'sible

A. Across
angly
dingered up.
across
howstry across
howstry
mon-mode
B. atacta

SZ
bright
toptboton
hori Evitels.
Verticals

1452

AOL BICZE.

From the top of structure

rowthing should be
visible

Miss 1st

For top afstruture Scrething should be wichle

A.across hard man made

matin nerv swying flot

For buse of structure

sonething shouldbe perceivable

missBk

For bone of struck.

nonething should be perceively

A diagul up angle across

SZ silvy

F

·p +6				
P.16				
•				

1517